

DokuWiki 語法大全

項目	語法	說明	來源（內建或 plugin										
文字													
tooltip	1. 單字： {!word:tooltip_text}} 2. 多字： <ttip:style:marked_text> tooltip_text </ttip>	style 是設定在自訂 CSS 中，class 必須為 .tooltip_xxx	tooltip										
ruby	{{ruby 主文字 ruby 文字}}	主文字數無限	ruby										
表格													
儲存格背景顏色	@<色碼>:<內容>	<色碼> 可為 #abcdef 或 HTML 顏色名稱¹⁾ - 只能用在一般儲存格，不能用在表頭儲存格上！	cellbg										
圖片													
圖片標題 [caption]	[[<一般圖片語法>]]	真的頗簡單，就只在一般圖片語法 {{...}} 外加 [] 而已	imagebox										
引用													
本站其他頁面	{{page>xx:yy&...}} 	- 注意第一個引入 flag 的符號是 & - 頁面名稱可以用 . 或 .. 省略資料夾層級 - 可用 # 引入單一段落	include										
本站其他頁面/圖片 [popup]	{{popup>%IMAGE/PAGE%?[%SIZE%]&[keep0pen] [%TEXT/IMAGE%]}}	<table><tr><th>Option</th><th>Description</th></tr><tr><td>%IMAGE/PAGE%</td><td>an image or a page as you know it from DokuWiki</td></tr><tr><td>%SIZE% (optional)</td><td>Width and height (optional) in px. Example: 200x300</td></tr><tr><td>keep0pen (optional)</td><td>All links in a page opened via a popup will also open in a popup.</td></tr><tr><td>%TEXT/IMAGE% (optional)</td><td>Here you can set the name or an additional image. This will be displayed to the user as link to click on for the popup</td></tr></table>	Option	Description	%IMAGE/PAGE%	an image or a page as you know it from DokuWiki	%SIZE% (optional)	Width and height (optional) in px. Example: 200x300	keep0pen (optional)	All links in a page opened via a popup will also open in a popup.	%TEXT/IMAGE% (optional)	Here you can set the name or an additional image. This will be displayed to the user as link to click on for the popup	popupviewer
Option	Description												
%IMAGE/PAGE%	an image or a page as you know it from DokuWiki												
%SIZE% (optional)	Width and height (optional) in px. Example: 200x300												
keep0pen (optional)	All links in a page opened via a popup will also open in a popup.												
%TEXT/IMAGE% (optional)	Here you can set the name or an additional image. This will be displayed to the user as link to click on for the popup												

項目	語法	說明	來源（內建或 plugin
文字			
外部網頁	<code>{{url>http(s)://... width,height noscroll noborder alignment alternate-text}}</code>	(待翻譯 ) <i>width</i> and <i>height</i> are optional. When only one value is given it is assumed to be the height. Otherwise the first value is width and the second value is height. You can give the values in px, em, pt or %. When no unit is given px is NOT assumed (you have to give the value). Defaults values are: width - 98%, height - 400px. <i>noscroll</i> will disable the scrollbars of the <i>iframe</i> <i>noborder</i> will disable the frame border, note that your CSS might still add borders or may disable them without using this setting - Optionally an <i>alignment</i> can be given as <i>left</i> or <i>right</i> to have the <i>iframe</i> floating to the left or right. Should be used with a width. - An <i>alternate text</i> is optional. If not specified an empty string will be used.	<i>iframe</i>
Feed			
feed plugin	<code>{{blogfeed>blog Blog Entries}}</code> <code>{{blogfeed>blog?20 Blog Entries}}</code> <code>{{commentsfeed>mynamespace Individual Comments}}</code> <code>{{commentsfeed>mynamespace?25 Individual Comments}}</code> <code>{{threadsfeed>namespace Recent discussion threads}}</code> <code>{{threadsfeed>namespace?15 Recent discussion threads}}</code> <code>{{editorfeed>.?user Pages edited by 'user'}}</code> <code>{{topicfeed>?*?cloud Tagged «Cloud»}}</code> <code>{{tasksfeed>projects Open tasks}}</code> <code>{{tasksfeed>projects?overdue Late tasks}}</code>		<i>feed</i>

參考

- 官方

待翻譯¹⁾

色碼表

From:

<http://ciangbrides.myds.me/dw/> - **Ciang Brides** 黃金城

Permanent link:

<http://ciangbrides.myds.me/dw/dokuwiki/syntax?rev=1551927905>



Last update: **2019/03/07 11:05**